**Brand Name:** ACOFEN-MR

**Composition:** Aceclofenac & paracetamol with chlorzoxazone tablet

**Dosage Form:** Tablets

Category: Muscle Relaxant and Pain Reliever

Packaging Type: ALU-ALU

Packaging: 10 x 10

#### **Brief product introduction:**

**ACOFEN-MR** is a powerful combination tablet manufactured by **AstraEureka Pharmaceutical**, formulated to provide fast and effective relief from musculoskeletal pain and inflammation. It combines **Aceclofenac**, a potent anti-inflammatory agent, with **Paracetamol**, a trusted analgesic and antipyretic, and **Chlorzoxazone**, a muscle relaxant that relieves muscle spasms. This synergistic formulation is ideal for managing acute painful conditions such as back pain, muscle strain, sprains, and post-operative discomfort. ACOFEN-MR is designed for quick relief and enhanced mobility, making it a reliable solution for pain management in clinical practice.

## **Composition:**

#### **Each film-coated tablet contains:**

	/	\ \ \
Aceclofenac IP	100 mg	
Paracetamol IP	325 mg	
Chlorzoxazone USP	250 mg	TM TM
Excipients	q.s.	ILEKS

#### **Key Ingredients:**

1. Aceclofenac 100 mg – A non-steroidal anti-inflammatory drug (NSAID)

Quality Products

- 2. **Paracetamol 325 mg** An analgesic and antipyretic
- 3. **Chlorzoxazone 250 mg** A centrally acting muscle relaxant

#### **Key Benefits:**

- 1. Provides effective relief from muscle spasm and pain
- 2. Reduces inflammation associated with musculoskeletal disorders
- 3. Fast onset of action with dual pain-relief mechanism
- 4. Enhances mobility and physical comfort in musculoskeletal conditions

#### **Indications:**

- 1. Acute painful musculoskeletal conditions
- 2. Muscle spasms and strains
- 3. Low back pain
- 4. Cervical spondylosis

- 5. Sciatica
- 6. Sports injuries
- 7. Post-operative pain and inflammation

### **Directions for Use:**

- 1. Take the tablet orally with water
- 2. Preferably after food to avoid gastric irritation
- 3. Do not chew or crush the tablet

# **Dosage and Administration:**

- 1. Adults: One tablet 1 to 2 times a day or as directed by the physician
- 2. Maximum Dose: Should not exceed 2 tablets in 24 hours unless prescribed
- 3. Not recommended for children unless advised by a doctor

#### **Safety Information:**

- 1. Avoid alcohol consumption during medication
- 2. Not to be taken on an empty stomach
- 3. Use with caution in patients with liver or kidney impairment
- 4. Regular monitoring required in long-term use

# Mechanism of Action:

- Aceclofenac: Inhibits cyclooxygenase (COX) enzymes, thus reducing prostaglandin synthesis involved in pain and inflammation
- **Paracetamol**: Inhibits prostaglandin synthesis in the central nervous system, exerting analgesic and antipyretic effects
- Chlorzoxazone: Acts on the spinal cord and subcortical brain areas to inhibit multisynaptic reflex arcs involved in muscle spasm, providing muscle relaxation

#### **Contraindications:**

- Hypersensitivity to any of the components
- History of peptic ulcer or gastrointestinal bleeding
- Severe hepatic or renal impairment
- Pregnancy and lactation (unless prescribed)
- Known allergic reactions to NSAIDs

#### **Side Effects:**

1. Gastric discomfort, nausea, or vomiting.

- 2. Drowsiness or dizziness.
- 3. Allergic skin reactions (rash, itching).
- 4. Hepatic enzyme elevation (rare).
- 5. Headache or fatigue.

#### **Important Notice:**

- This product is a prescription-only medicine.
- Not suitable for long-term self-medication.
- Should be used strictly under medical supervision.

## **Storage Condition:**

- 1. Store in a cool, dry place.
  2. Protect from light and moisture.

  Keep out of reach of children.

# **Packing Information:**

- ALU-ALU strip packing.
- 10 tablets per strip.
- 10 strips per box (10 x 10 packaging).



Tusted Quality Products From Re