

Brand Name: ACOFEN-PS

Composition: Aceclofenac & Paracetamol with Serratiopeptidase tablets

Dosage Form: Tablets

Category: Non-Steroidal Anti-Inflammatory Drug (NSAID) with Analgesic and Anti-inflammatory Enzyme

Packaging Type: Alu-Alu

Packaging: 10 x 10

Brief Product Introduction:

ACOFEN-PS is a triple-action anti-inflammatory and analgesic tablet, manufactured by **AstraEureka Pharmaceutical**, a trusted **manufacturer of Aceclofenac, Paracetamol, and Serratiopeptidase composition**. This formulation combines three well-established agents to relieve pain, reduce inflammation, and support faster healing. Aceclofenac, a potent NSAID, targets the root cause of inflammation, Paracetamol enhances the analgesic effect and manages fever, while Serratiopeptidase, a proteolytic enzyme, reduces tissue swelling and improves mobility. ACOFEN-PS is ideal for musculoskeletal pain, arthritis, dental pain, post-operative inflammation, and soft tissue injuries. Its balanced formulation ensures rapid onset and longer duration of relief, with a reduced risk of gastrointestinal side effects. Widely prescribed across ortho, dental, and general practice settings, ACOFEN-PS supports faster recovery and improved patient comfort.

Composition:

Each film-coated tablet contains:

Aceclofenac IP.....	100 mg
Paracetamol IP.....	325 mg
Serratiopeptidase IP.....	15 mg
Excipients.....	q.s.

Key Benefits:

1. Powerful relief from inflammation, pain, and swelling
2. Quick onset and extended duration of action
3. Supports faster tissue repair and healing
4. Reduced gastrointestinal risk compared to other NSAIDs alone
5. Well tolerated and suitable for a wide range of inflammatory conditions

Indications:

1. Osteoarthritis, rheumatoid arthritis, ankylosing spondylitis
2. Low back pain, cervical spondylosis
3. Musculoskeletal and joint pain

4. Dental pain and post-extraction inflammation
5. Post-traumatic and post-surgical swelling
6. Tendonitis, bursitis, soft tissue injuries

Directions for Use:

1. Take orally with water
2. Preferably after meals to reduce gastric irritation
3. Swallow whole; do not crush or chew
4. Follow the exact dose as advised by the physician

Dosage and Administration:

1. Adults:

- One tablet twice daily or as directed by the physician.
- Dose may vary based on severity and clinical response.
- Not recommended in children without medical advice

Safety Information:

1. Use under medical supervision only
2. Avoid alcohol and other NSAIDs during the course
3. Use with caution in patients with liver, kidney, or gastrointestinal disorders
4. Inform the doctor of any history of allergy to NSAIDs or paracetamol

Mechanism of Action:

- **Aceclofenac** inhibits cyclooxygenase (COX) enzymes, reducing the synthesis of prostaglandins that cause pain and inflammation.
- **Paracetamol** acts centrally to raise the pain threshold and has antipyretic effects by acting on the hypothalamic heat-regulating center.
- **Serratiopeptidase** is a proteolytic enzyme that breaks down abnormal proteins at the site of inflammation, reducing edema and promoting faster healing of inflamed tissues.

Contraindications:

1. Hypersensitivity to any of the components
2. Active peptic ulcer or gastrointestinal bleeding
3. Severe hepatic or renal impairment
4. Pregnancy and lactation (unless prescribed)
5. Patients with bleeding disorders

Side Effects:

1. Nausea, vomiting, gastritis
2. Abdominal discomfort, dyspepsia
3. Dizziness, headache
4. Rare: Allergic rash, elevated liver enzymes, gastric ulceration

Important Notice:

- Not intended for self-medication or prolonged use
- Should not be used without a valid prescription
- Discontinue immediately if signs of allergy or severe side effects appear
- Periodic liver function tests recommended for long-term users

Storage Condition:

1. Store in a cool and dry place below 25°C
2. Protect from direct sunlight and moisture
3. Keep out of reach of children

Packing Information:

- Each strip contains 10 film-coated tablets
- Available in Alu-Alu packing of 10 x 10 tablets per box