

Brand Name: ACORAB-L

Composition: Rabeprazole Sodium & Levosulpiride sr tablet

Dosage Form: Capsule

Category: Gastrointestinal – Proton Pump Inhibitor with Prokinetic

Packaging Type: ALU-ALU

Packaging: 10 × 10

Brief Product Introduction:

ACORAB-L is a dual-action gastrointestinal formulation manufactured by **AstraEureka Pharmaceutical**, combining **Rabeprazole Sodium 20 mg**, a potent proton pump inhibitor (PPI), with **Levosulpiride 75 mg**, a selective dopamine D2 antagonist and prokinetic. This synergistic combination is effective in treating acid-related disorders and motility dysfunctions. Rabeprazole inhibits gastric acid secretion at the source, providing long-lasting relief from hyperacidity, while Levosulpiride improves gastrointestinal motility, making it ideal for conditions like GERD, dyspepsia, and functional heartburn. The enteric-coated form ensures targeted release in the intestine for maximum absorption. ACORAB-L enhances patient outcomes by targeting both acid suppression and gastric motility. Conveniently packed in **10 × 10 ALU-ALU** blister packs, it reflects AstraEureka's quality assurance as a trusted **manufacturer of Rabeprazole and Levosulpiride composition** for comprehensive GI care.

Composition:

Each hard gelatin capsule contains:

Rabeprazole Sodium IP.....	20 mg.
(as enteric-coated granules)	
Levosulpiride IP).....	75 mg.
(as sustained release tablet)	
Excipients.....	Q.S.

key Benefits:

1. Provides rapid and sustained acid suppression
2. Enhances gastric emptying and motility
3. Reduces bloating, nausea, and reflux
4. Effective in GERD, functional dyspepsia, and non-ulcer dyspepsia
5. Suitable for acid-peptic disorders with motility issues

Indications:

1. Gastroesophageal Reflux Disease (GERD)
2. Non-ulcer and functional dyspepsia
3. Acid peptic disorders with delayed gastric emptying

4. Nausea, bloating, and reflux associated with motility dysfunction
5. Hyperacidity with upper GI discomfort

Directions for Use:

1. Take one capsule daily before a meal
2. Swallow whole with water; do not crush or chew

Dosage and Administration:

1. **Adults:** One capsule once or twice daily, as prescribed by the physician
2. Duration of therapy depends on condition severity

Safety Information:

1. Use under medical supervision
2. Caution in patients with renal or hepatic impairment
3. Not recommended during pregnancy or lactation without physician advice
4. Regular monitoring is advised for prolonged therapy

Mechanism of Action:

- **Rabeprazole** irreversibly inhibits the H^+/K^+ ATPase pump in gastric parietal cells, suppressing acid secretion.
- **Levosulpiride** blocks dopamine D_2 receptors in the gut, enhancing acetylcholine release, which improves gastric emptying and intestinal motility.
- Together, they relieve acid reflux and functional gastrointestinal symptoms.

Contraindications:

1. Hypersensitivity to Rabeprazole, Levosulpiride, or formulation components.
2. GI hemorrhage, mechanical obstruction, or perforation.
3. Parkinson's disease (use with caution due to dopamine antagonism).

Side Effects:

1. Headache, dizziness.
2. Nausea, abdominal cramps.
3. Mild diarrhea or constipation.
4. Rare: Galactorrhea or breast tenderness (with long-term Levosulpiride).

Important Notice:

- ACORAB-L is a prescription product.
- Do not self-medicate or discontinue abruptly.
- Long-term use should be monitored for B12 deficiency or extrapyramidal symptoms.

Storage Conditions:

- Store in a cool, dry place below 25°C.
- Protect from light and moisture.
- Keep out of reach of children.

Packing Information:

- Available in **10 × 10 ALU-ALU** packing.

