

Brand Name: Dcofen-PS

Composition: Serratiopeptidase + Diclofenac Potassium + Paracetamol

Dosage Form: Tablets

Category: Analgesic / Anti-inflammatory / Antipyretic

Packaging Type: ALU-ALU

Packaging: 10 × 10 TABLETS

Brief Product Information:

Dcofen-PS is a powerful combination analgesic and anti-inflammatory tablet manufactured by **AstraEureka Pharmaceuticals**, a trusted manufacturer of composition including Serratiopeptidase, Diclofenac Potassium, and Paracetamol. It provides fast and effective relief from pain, inflammation, swelling, and fever associated with musculoskeletal disorders, dental pain, post-operative recovery, and trauma. Diclofenac acts as a potent NSAID to reduce inflammation and pain; Paracetamol offers additional analgesic and antipyretic effects, while Serratiopeptidase, a proteolytic enzyme, helps reduce swelling by breaking down inflammatory proteins. This triple-action formulation ensures enhanced symptom control.

Composition:

Each film-coated tablet contains:

Serratiopeptidase I.P..... 10 mg

Diclofenac Potassium B.P..... 50 mg

Paracetamol I.P..... 325 mg

Excipients..... q.s.

Key Benefits:

1. Triple-action formula: analgesic, anti-inflammatory, antipyretic
2. Rapid relief from swelling and pain
3. Suitable for post-operative, orthopedic, and dental inflammation
4. Reduces fever associated with infection or trauma

Indications:

1. Musculoskeletal pain and inflammation
2. Post-operative pain and swelling
3. Dental pain and extraction recovery
4. Sports injuries and soft tissue trauma
5. Osteoarthritis and rheumatoid arthritis

Directions for Use:

1. Take one tablet with water after meals
2. Do not crush or chew
3. Follow the prescribed dose from your physician

Doses and Administration:

1. Adults: One tablet 2–3 times a day
 - Dosage may vary based on severity of symptoms
 - Not suitable for children unless prescribed

Safety Information:

1. Avoid alcohol during treatment
2. Use cautiously in liver, kidney, or gastrointestinal disorders
3. Not recommended during pregnancy or breastfeeding without advice
4. Do not exceed the recommended dose

Mechanism of Action:

- **Diclofenac Potassium** inhibits cyclooxygenase enzymes (COX-1 and COX-2), reducing prostaglandin synthesis and inflammation
- **Paracetamol** blocks pain impulses and lowers fever via hypothalamic heat-regulating centers
- **Serratiopeptidase** breaks down protein-based inflammation (fibrin, dead tissue), enhancing tissue recovery and edema reduction

Contraindications:

1. Hypersensitivity to NSAIDs or any component
2. Active peptic ulcer or gastrointestinal bleeding
3. Severe hepatic or renal impairment
4. Coagulation disorders

Side Effects:

1. Gastric irritation or abdominal discomfort
2. Nausea or vomiting
3. Dizziness or headache
4. Rarely: allergic reactions or rash

Important Notice:

- Not intended for prolonged use without medical advice
- Seek immediate medical help if experiencing signs of gastric bleeding or allergic reaction
- Do not use with other NSAIDs or paracetamol-containing products

Storage Condition:

1. Store below 25°C
2. Keep in a cool, dry place
3. Protect from light and moisture
4. Keep out of reach of children

Packing Information:

- ALU-ALU strip with 10 tablets
- 10 strips per pack (10 x 10 TABLETS)

