**Brand Name:** EROXIB-90

Composition: Etoricoxib tablet IP 90 mg

**Dosage Form:** Tablets

Category: Nonsteroidal Anti-Inflammatory Drug (NSAID), Selective COX-2 Inhibitor

Packaging Type: Alu-Alu

Packaging: 10x10

#### **Brief Product Information:**

EROXIB-90, manufactured by **AstraEureka** Pharmaceutical, contains Etoricoxib 90 mg, a selective COX-2 inhibitor used for pain and inflammation relief. As a manufacturer of this composition, AstraEureka ensures high-quality standards in formulation and packaging. EROXIB-90 is indicated in osteoarthritis, rheumatoid arthritis, ankylosing spondylitis, gout, and dental or post-operative pain. The tablet acts by selectively blocking COX-2 enzyme, minimizing gastrointestinal side effects typical of non-selective NSAIDs. Recommended dosage is 90 mg once daily, as prescribed. Use with caution in cardiovascular, renal, or hepatic conditions. Common side effects include nausea, dizziness, and elevated blood pressure. Contraindicated in pregnancy, severe heart conditions, and active ulcers.

### **Composition:**

#### Each film-coated tablet contains:

Excipients......q.s.

#### **Key Benefits:**

- 1. Provides effective relief from pain and inflammation.
- 2. Selective COX-2 inhibition reduces gastrointestinal side effects.
- 3. Useful in chronic and acute musculoskeletal disorders.
- 4. Reduces stiffness and improves joint function.

#### **Indications:**

- 1. Osteoarthritis.
- 2. Rheumatoid arthritis.
- 3. Ankylosing spondylitis.
- 4. Acute gouty arthritis.
- 5. Chronic low back pain.
- 6. Dental pain.
- 7. Post-operative pain.

## **Directions for Use:**

- 1. To be taken orally with or without food
- 2. Should be swallowed whole with water
- 3. Follow physician's advice strictly

# **Dosage and Administration:**

- 1. Usual dose: 90 mg once daily
- 2. Dose and duration should be as prescribed by the healthcare provider
- 3. Not to be used beyond prescribed period without medical supervision

## **Safety Information:**

- 1. Regular monitoring of blood pressure and liver function advised
- 2. Avoid alcohol consumption
- 3. Use with caution in elderly and patients with history of cardiovascular disorders
- 4. Not suitable for children below 16 years
- 5. Do not exceed recommended dose

# **Mechanism of Action:**

- Etoricoxib is a selective cyclooxygenase-2 (COX-2) inhibitor
- Inhibits the enzyme COX-2 involved in prostaglandin synthesis
- Reduces pain and inflammation without significantly affecting COX-1
- Less gastrointestinal irritation compared to traditional NSAIDs

#### **Contraindications:**

- 1. Hypersensitivity to Etoricoxib or any component of the formulation
- 2. Active peptic ulcer or gastrointestinal bleeding
- 3. Severe hepatic or renal impairment
- 4. Uncontrolled hypertension
- 5. Patients with ischemic heart disease, cerebrovascular disease, or peripheral arterial disease
- 6. Pregnancy and lactation

#### **Side Effects:**

- 1. Headache
- 2. Dizziness
- 3. Hypertension
- 4. Indigestion or nausea

- 5. Edema
- 6. Elevated liver enzymes
- 7. Skin rash
- 8. Fatigue

### **Important Notice:**

- For therapeutic use only.
- To be sold by retail on the prescription of a Registered Medical Practitioner only.
- Keep out of reach of children.

# **Storage Condition:**

- prage Condition:

  1. Store in a cool, dry place.
  Protect from light and moisture.

  1. Store in a cool, dry place.
  Protect from light and moisture.

# **Packing Information:**

- Each box contains 10 strips of 10 tablets (10x10).
- Packed in Alu-Alu for extended shelf life and protection.



Tusted Quality Products From Re