

Brand Name: FX-LOR TABLET

Composition:

Each film-coated tablet contains:

Fexofenadine Hydrochloride I.P.120 mg

Montelukast Sodium I.P.

equivalent to Montelukast10 mg

Excipientsq.s.

Dosage Form: Tablets

Category: Anti-Allergic / Antihistamine & Leukotriene Receptor Antagonist

Packaging Type: Alu-Alu Blister

Packaging: 15 x 10 Tablets per box

Brief Product Information:

FX-LOR Tablet is a combination of a second-generation antihistamine and a leukotriene receptor antagonist, designed to provide dual relief from seasonal allergies and asthma-related symptoms. **AstraEureka Pharmaceutical is the manufacturer of this composition**, ensuring consistent quality and therapeutic efficacy.

Key Ingredients:

- **Fexofenadine Hydrochloride:** A non-sedating H1 antihistamine that blocks the effects of histamine, a substance in the body that causes allergic symptoms.
- **Montelukast Sodium:** A leukotriene receptor antagonist that inhibits substances causing airway inflammation, nasal congestion, and bronchospasm.

Key Benefits:

1. Provides long-lasting relief from allergic rhinitis, sneezing, and runny nose
2. Effective in managing seasonal and perennial allergies
3. Helps control asthma symptoms and exercise-induced bronchoconstriction
4. Non-sedating formulation – no drowsiness
5. Reduces nasal congestion and improves respiratory function

Indications:

1. Allergic Rhinitis (seasonal or perennial)
2. Chronic Urticaria
3. Asthma (as add-on therapy)
4. Nasal congestion due to environmental allergens

Directions for Use:

1. Take the tablet orally with water, once daily
2. Preferably after food, or as prescribed by a registered medical practitioner
3. Do not break or crush the tablet

Dosage and Administration:

- **Adults & Children ≥ 12 years:** 1 tablet once daily
- Dose adjustments should be made by the healthcare provider based on clinical evaluation

Safety Information:

1. Avoid alcohol while using this medication.
2. Not intended for acute asthma attacks – use appropriate rescue inhalers.
3. Use cautiously in patients with renal or liver disorders.
4. Consult a doctor if pregnant or breastfeeding before use.
5. Regular follow-up is advised if used for asthma management.

Mechanism of Action:

- **Fexofenadine Hydrochloride:** Blocks peripheral H1 receptors, preventing histamine-induced allergic symptoms like sneezing, itching, and runny nose without crossing the blood-brain barrier (non-sedating).
- **Montelukast:** Selectively binds to cysteinyl leukotriene receptors (CysLT1) in the airways and nasal passages, reducing inflammation, bronchoconstriction, and mucus secretion associated with allergic and asthmatic conditions.

Contraindications:

1. Known hypersensitivity to Fexofenadine, Montelukast, or any excipients
2. Severe hepatic impairment (for Montelukast – use with caution)
3. Children under 12 years (unless otherwise prescribed)

Side Effects:

1. Headache
2. Drowsiness (rare)
3. Nausea
4. Abdominal pain
5. Fatigue
6. Dizziness
7. Behavioral changes (rare in children)

Important Notice:

- **FX-LOR Tablet** is a prescription medicine.
- It should be taken only under the guidance of a registered medical professional.
- Not meant for self-medication or emergency asthma attacks.

Storage Condition:

1. Store in a cool, dry place below 25°C
2. Protect from moisture and direct sunlight
3. Keep out of reach of children

Packing Information:

- Available in Alu-Alu pack.
- Standard pack size: 15 tablets per strip, 10 strips per box.

